

## MANAGE YOUR MEETING SPACES WITH EASE & EFFICIENCY

Yealink RoomPanel for Microsoft Teams



8-inch Touch  
Screen



Native Microsoft  
Teams Experience



Vibrant Colored  
LED Bar



Support PoE or  
DC Power



Simple & Flexible  
Installation



Remote Device  
Management



Yealink RoomPanel is one of the dedicated Microsoft Teams devices with compact touchscreen and ideal for mounted outside the meeting spaces for displaying meeting details scheduled via Teams or Outlook 365 calendaring applications. Moreover, the panel are also enabled for reserving an available room on the spot and indicating current room status.

# Intelligent Room Scheduling with Native Microsoft Teams Experience



At-a-glance details of location and availability



Up-to-date scheduling status with key meeting information



One tap for reserving meeting spaces for ad hoc meetings



Colored LED bar for indicating room status with high visibility



Featuring a 8-inch interactive touch screen with anti-fingerprint surface as well as intuitive and Teams-tailored UI, the RoomPanel brings premium visual presence and interactive experience to the users need to book or check the status of specific conference room.

# Auto Check-in with RoomSensor

Paired with a Yealink RoomSensor, the RoomPanel enables users to auto check-in and see the room status when the RoomSensor detects participants entering the room. This automated operation allows for a touchless office space, and increases the efficiency of meeting room usage.



Ambient light & proximity sensor integrated for automatic screen wake up and brightness adjustment



Compatible to action with the room occupancy sensor for features such as automatic release, automatic check-in, etc. (Coming soon)



Built-in 802.11ac Wi-Fi for wireless deployment



Built-in Bluetooth 5.0 for accessories connection

# Elaborate Features for Advanced Concierge Service

More than a touchable display, the RoomPanel also combines a quantity of advanced features of self-adaption, network connectivity and expansibility, to offer intelligent, productive and secure experience in space and time management.



# Install and Manage the Devices with Ease, Flexibility and Efficiency

2



Concrete Wall

Brick Wall



Glass

Wood

With numerous test and contrastive analysis, the provided brackets and tape permit the RoomPanel to be mounted to the surfaces including solid wall, glass, wood, etc.

1



To better meet different requirements and preference, Yealink offers optional brackets with parallel or tilt angle for varying using scenarios.

3



Supporting PoE or DC power adapter, the RoomPanel can be installed with ease and flexibility, making the workplaces tidy and stylish.

Managing a batch of meeting room devices is no longer a heavy burden for the administrators or IT staff, as they can easily monitor, manage and diagnose the products via Microsoft Teams Admin Center or Yealink Management Cloud Service.

# Specification

## Basic

Operating System      Android 9.0

## Display

Size      8" LCD Panel (16:10)

Resolution      1280x800

Contrast      1000:1

Viewing Angle(H/V)      ±80°/±80°

Touch Screen      10-points Capacitive  
Multi-touch

Anti-fingerprint Coating      Yes

Proximity Sensor      Yes

Ambient Light Sensor      Yes

## Connectivity

Ethernet      1 x Fast ethernet port  
(10/100Mbps)

Wi-Fi      802.11a/b/g/n/ac

Bluetooth      5.0

RFID/NFC      13.56MHz

USB Port      1 x USB-C port

Button      1 x Reset pin hole

## Audio

Microphone      2 x Array Microphones

Speaker      2 x 1 Watt Speakers

## Power Supply

Power over Ethernet (IEEE 802.3af)

12V Power Adapter

## Mounting Options

Surface mount for 2-gang US electrical box

20° tilt mount kit for wall or glass

Flush mount kit for wall or glass

## Dimensions

Display size (mm)      209 x 146 (8.23" x 4.06" )

Weight      0.53kg (1.168 lb)

# Yealink



YEALINK NETWORK TECHNOLOGY CO., LTD  
E-mail: [UCinfo@yealink.com](mailto:UCinfo@yealink.com) | Website: [www.yealink.com](http://www.yealink.com)

2021-6-RoomPanel-Teams-EN-V1.0