

All-In-One Meeting Room Scheduling Panel

Microsoft Teams

Yealink RoomPanel is an 8 inch all-in-one meeting room schedule panel runs android 9.0 and comes with full RGB programmable LED background illumination for immediate visible communication of room status. It includes 10-point touch capability, 2x2 MIMO 802.11ac Wi-Fi, Bluetooth 5.0, built-in NFC/RFID reader, enhanced microphone arrays and speakers to meet all modern workspace demands. Also equipped with Power-over-Ethernet and a variety of mounting brackets, Yealink RoomPanel could be easily mounted on any surface.

Key features and benefits



8-Inch 10-Point Interactive Panel 10-Point touch capability screen to easily book rooms or check-in/out at room panel.



Any Walls, and Tilt Optional Provide brackets and 3M velcro. Compatible with electrical box, glass and wood, etc., with optional parallel or tilt angle.



802.11ac 2x2 Wi-Fi Support wireless network deployment and anti-jamming dual-band Wi-Fi.



Anti Fingerprint Screen Keep the screen clean and





Orientation Optional Easy to mount with portrait or landscape.



Bluetooth 5.0 Directly connect to room sensors without extra gateways and support proximity features.



High Visibility LED Bars out Room Status Full RGB LED bars for immediate all-round visible communication of room status.



PoE or DC Power Minimalist and flexible installation, keep workspace tidy and modern.



RFID & NFC Embedded Enhance ID authorization security and track meeting attendees.



Ambient Light & Proximity Sensor Embedded Environment self-adaptation. Automatically adjust the screen brightness and automatically wake up the screen.



Remote Device Management Easily monitor, manage, and diagnose by Yealink Management Cloud Server.



Actions with Occupancy Sensor

Actions with the room occupancy sensor, such as automatic release, automatic check-in, etc.

Yealink

Specifications

Basic

Operating System: Android 9

Display

- Size: 8" LCD Panel (16:10)
- Resolution: 1280x800
- Contrast: 1000:1
- Viewing Angle(H/V): ±80°/±80°
- 10 points capacitive multi-touch
- Anti-fingerprint Coating
- Proximity Sensor: Yes
- Ambient Light Sensor: Yes

Connectivity

- Ethernet: 1 x Fast ethernet port (10/100Mbps)
- Wi-Fi: 2x2 MIMO, 802.11a/b/g/n/ac
- Bluetooth: 5.0
- RFID/NFC: 13.56MHz
- USB Port: 1 x USB-C port
- Button: 1 x Reset pin hole

Audio

- Microphone: 2 x Array Microphones
- Speaker: 2 x 1 Watt Speakers

Power Supply

- Power over Ethernet (IEEE 802.3af)
- 12V Power Adapter

Mounting Options

Surface mount for 2-gang US electrical box

RoomPanel

- 20° tilt mount kit for wall or glass
- · Flush mount kit for wall or glass

Dimensions

- Display size (mm): 209 x 146 (8.23" x 4.06")
- Weight: 0.53kg (1.168 lb)



About Yealink

Yealink (Stock Code: 300628) is a global brand that specializes in video conferencing, voice communications and collaboration solutions with best-in-class quality, innovative technology and user-friendly experience. As one of the best providers in more than 140 countries and regions, Yealink ranks No.1 in the global market share of SIP phone shipments (Global IP Desktop Phone Growth Excellence Leadership Award Report, Frost & Sullivan, 2019).

Copyright

Copyright © 2021 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (http://support.yealink.com/) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (https://ticket.yealink.com) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD. Web: www.yealink.com Addr: No.1 Ling-Xia North Road, High Tech Park, Huli District, Xiamen, Fujian, P.R. China Copyright©2021 Yealink Inc. All right reserved.